



Integra Type-R



Integratyper.org







Designed to be driven integratype



Born out of Honda's racing heritage Integratyper.org

Specification for performance

Integra Type-R has the formula for breathtaking performance. Designed with minimal weight, its 1.8 DOHC VTEC engine provides a continuous surge of power through optimised gear ratios and torque sensing limited slip differential. The stiffened chassis and low profile tyres help maximise Type-R's exceptional cornering capability, and allow you to enjoy the balance, the responses and the sheer performance of this ultimate driver's car.

Engine	
Туре	1.8 litre 16V DOHC VTEC 4 cyl in line
Displacement (cc)	1797
Max Power kw (ps) / rpm	140 (190) / 8000*
Max Torque N-m/rpm	178/7300*
Kerb Weight	1140*
Performance	
Max Speed (mph)	145*
Acceleration 0 - 62 mph (secs)	6.7*
Acceleration 0 - 400m (secs)	15.0*
Wheels & Tyres	
Wheels (special aluminium alloy)	6J x 15, 5 stud fixing
Tyres (Bridgestone Potenza)	195 / 55R15 85W
Estados design of Integro Type P	

Exterior design of Integra Type-R

Body coloured lightweight aluminium alloy wheels

Aerodynamically balanced chin spoiler and wing-type rear spoiler

Body coloured side sills

Low profile Bridgestone tyres

Interior design of Integra Type-R

Red Recaro racing front seats

Leather wrapped steering wheel

Short throw titanium gear shift

Carbon-fibre effect trim

Amber backlit instrument panel

50/50 fold-down rear seatback

Tilt-adjustable steering wheel

Power windows

Power door locks

Engineering features of Integra Type-R

Exclusive Type-R 1.8 DOHC VTEC engine incorporating high strength, lightweight connecting rods

Large bore, single port intake manifold

Torque sensitive helical limited slip differential

Large diameter free-flow exhaust system

Firm suspension settings

Variable, power-assisted rotary valve rack and pinion steering

Four wheel ventilated disc brakes (282mm front, 260mm rear)

Safety features of Integra Type-R

Anti-lock Braking System (ABS)

Dual SRS airbags

Side impact door beams and hip pads

3-point seat belts

Front and rear crumple zones

car which achieved the first of our many Grand Prix victories.

For Type-R we have revived our

famous colour of Championship

White, recalling the Formula One

* Manufacturer's calculated data-correct at time of printing.



These specification details do not apply to any particular product which is supplied or offered for sale. The manufacturers reserve the right to vary their specifications, including colours, with or without notice and at such times in such manner as they think fit. Major as well as minor changes may be involved. Every effort, however, is made to ensure the accuracy of the particulars contained in this brochure. Consult the Dealer with whom your order is placed for details of the specification of any particular product. This publication shall not constitute in any circumstances whatsoever an offer by the Company to any person. All sales are made by the Distributor or Dealer concerned subject to and with the benefit of the standard Conditions of Sale and Warranty given by the Distributor or Dealer, copies of which may be obtained from him on request. This publicity material applies to the UK only Trade Descriptions Act (1968). Whilst efforts are made to ensure specification accuracy, brochures are prepared and printed several months in advance of distribution and consequently cannot always immediately reflect either changes in specification or in some isolated cases the provision of a particular feature. Customers are always advised to discuss specification details with the supplying Dealer especially if your model selection is dependent upon one of the features advertised.

Honda (UK), 4 Power Road, Chiswick, London W4 5YT. A division of Honda Motor Europe Ltd, Registered office: Caversham Bridge House, Waterman Place, Reading RG1 8DN. No. 857969 Registered in England & Wales